#### سال چپل و سوم/شمارهی ۸۲۷/هفتهی سوم مهر ۱٤٠٤

## مجله دانشكده پزشكي اصفهان

. ششمین کنگره بینالمللی و هشتمین کنگره ملی تازههای غدد درونریز و متابولیسم

تاریخ دریافت: ۱۴۰۴/-۷/۱۰ تاریخ پذیرش: ۱۴۰۴/-۶/۲۶ تاریخ چاپ: ۱۴۰۴/-۷/۲۳ تاریخ چاپ: ۱۴۰۴/-۷/۲۳

# ارتباط بین فاکتورهای رشد فیبروبلاست سرم و معیارهای آنتروپومتریک مرتبط با چاقی: یک بررسی سیستماتیک و متاآنالیز

آرمان عرب $^{10}$ ، فاطمه صمدانیان"، الهام حسینی"، کریستینا وینگری<sup>۴۵</sup>، زینب مختاری $^{00}$ ، رضا امانی"، فاطمه شیرانی $^{00}$ 

### چکیده

مقدمه: فاکتورهای رشد فیبروبلاست (FGFs)به ویژه FGF21 FGF1 و FGF23 به دلیل نقششان در تنظیم متابولیک به طور فزایندهای مورد توجه قرار می گیرند. ارتباط بالقوهی آنها با نشانگرهای چاقی همچنان در دست بررسی است و یافتههای مطالعات انسانی اغلب متناقض است. این مرور سیستماتیک و متاآنالیز با هدف تعیین ارتباط بین سطوح در گردش FGFs و شاخصهای مرتبط با چاقی در جمعیتهای بزرگسال انجام شد.

روشها: جستجوی جامعی در منابع علمی در Web of Science PubMed و Scopus تا مارس ۲۰۲۳ انجام شد. عبارات جستجو شامل FGF23 ،FGF19 و Web of Science الفاقی و شاخصهای آنتروپومتریک مرتبط با چاقی مانند شاخص توده بدنی، وزن بدن، دور کمر بود. هیچ محدودیتی در زبان یا تاریخ انتشار اعمال نشد. مطالعات مرتبط اضافی از طریق غربالگری فهرست منابع شناسایی شدند. پروتکل بررسی در پایگاه PROSPERO به شماره CRD42023428338 ثبت شد. آنالیزها با استفاده از مدلهای اثرات تصادفی انجام شدند و ناهمگونی از طریق آماره ی I ارزیابی گردید.

یافته ها: از ۴۳۱۹ رکورد اولیه، ۲۱ مطالعه معیارهای ورود را داشتند. متاآنالیز نشان داد که ارتباط معکوسی بین FGF19 و نمایه توده بدن وجود دارد (r = -1/16 درصد r = -1/16 رابطهی مثبت ثابتی با وزن (WC) معنی دار نبود. FGF21 رابطهی مثبت ثابتی با وزن r = -1/16 (P < r = -1/16 رابطهی مثبت ثابتی با وزن (درصد r = -1/16 (P < r = -1/16 درصد r =

نتیجه گیری: به طور خلاصه، این متاآنالیز از همبستگی مثبت و معنی داری بین سطح سرمی FGF21 و نمایه توده بدن، وزن بدن و دور کمر پشتیبانی می کند. FGF19 نیاز به ارتباط معکوس متوسطی با نمایه توده بدن نشان داد، در حالی که هیچ ارتباط معنی داری با دور کمر مشاهده نشد. تنوع در الگوهای ارتباطی بین زیرگروههای FGF، نیاز به تحقیقات هدفمند بیشتر را برجسته می کند.

واژگان کلیدی: فاکتور رشد فیبروبلاست؛ چاقی؛ شاخص توده بدنی؛ دور کمر

ارجاع: عرب آرمان، صمدانیان فاطمه، حسینی الهام، وینگری کریستینا، مختاری زینب، امانی رضا، شیرانی فاطمه. ارتباط بین فاکتورهای رشد فیبروبلاست سرم و معیارهای آنتروپومتریک مرتبط با چاقی: یک بررسی سیستماتیک و متاآنالیز. مجله دانشکده پزشکی اصفهان ۱۴۰۴؛ هجه (۸۲۷): ۹۹۵ – ۹۹۶.

Email: shirani\_ir@yahoo.com

۱- بخش پزشکی خواب، دانشکدهی پزشکی هاروارد، بوستون، ماساچوست، ایالات متحده آمریکا

۲- برنامه کرونوبیولوژی پز شکی، بخش خواب و اختلالات شبانهروزی، بخشهای پز شکی و مغز و اعصاب، بیمار ستان بریگهام و زنان، صندوق پستی ۲۱۱۵۰، بو ستون، ماساچوست، ایالات متحده آمریکا

۳- مر کز تحقیقات امنیت غذایی، دانشگاه علوم پزشکی اصفهان، اصفهان، ایران

۴– موسسه سلامت و ورزش، دانشگاه ویکتوریا، صندوق پستی ۱۴۴۲۸، ملبورن، ویکتوریا ۸۰۰۱، استرالیا

استرالیا ۸۰۰۱ اول $\mathbb{R}$  ، دانشگاه ویکتوریا، صندوق پستی ۱۴۴۲۸، ملبورن، ویکتوریا ۸۰۰۱ استرالیا

۶- مرکز تحقیقات غدد درون ریز و متابولیسم اصفهان، دانشگاه علوم پزشکی اصفهان، اصفهان، ایران

**نویسندهی مسؤول**: فاطمه شیرانی: مرکز تحقیقات غدد درونریز و متابولیسم اصفهان، دانشگاه علوم پزشکی اصفهان، اصفهان، ایران

#### Journal of Isfahan Medical School

Vol. 43, No. 827, 3rd Week, October 2025

6th International and 8th Iranian Congress of Endocrinology & Metabolism Updates

Received: 31.05.2025 Accepted: 17.09.2025 Published: 15.10.2025

# Associations Between Serum Fibroblast Growth Factors and Obesity-Related Anthropometric Measures: A Systematic Review and Meta-Analysis

Arman Arab<sup>1,2</sup>, Fatemeh Samadanian<sup>3</sup>, Elham Hosseini<sup>3</sup>, Kristina Vingrys<sup>4,5</sup>, Zeinab Mokhtary<sup>3</sup>, Reza Amani<sup>3</sup>, Fatemeh Shirani<sup>6</sup>

#### **Abstract**

**Background:** Fibroblast growth factors (FGFs), particularly FGF19, FGF21, and FGF23, are increasingly recognized for their roles in metabolic regulation. Their potential associations with adiposity markers remain under investigation, with findings from human studies often inconsistent. This systematic review and meta-analysis aimed to determine the associations between circulating levels of these FGFs and adiposity *related - indices* in adult populations.

**Methods:** A comprehensive literature search was performed in PubMed, Web of Science, and Scopus up to March 2023. Search terms included FGF19, FGF21, FGF23, and adiposity-*r*elated anthropometric indices such as body mass index (BMI), body weight, waist circumference (WC). No restrictions on language or publication date were applied. Additional relevant studies were identified by screening the reference lists. The review protocol was registered with PROSPERO (CRD42023428338). Meta-analyses were conducted using random-effects models, and heterogeneity assessed via the I² statistic.

**Findings:** Out of 4,319 initial records, 21 studies met the inclusion criteria. Meta-analysis indicated an inverse association between FGF19 and BMI (r = -0.15; 95% CI: -0.26, -0.04; P = 0.010;  $I^2 = 26.4\%$ ), while its correlation with WC was non-significant (r = -0.16; 95% CI: -0.34, 0.03; P = 0.10;  $I^2 = 49.8\%$ ). FGF21 showed a consistent positive relationship with body weight (r = 0.20; P = 0.001;  $I^2 = 70.8\%$ ), BMI (r = 0.22; P < 0.001;  $I^2 = 73.2\%$ ), and WC (r = 0.31; P < 0.001;  $I^2 = 94.7\%$ ). Associations between FGF23 and adiposity measures were heterogeneous and inconclusive.

**Conclusion:** In summary, this meta-analysis supports a significant positive correlation between serum FGF21 levels and BMI, body weight, and WC FGF19 exhibited a modest inverse association with BMI, while no significant association was observed with WC. The variability in the association patterns among FGF subtypes highlights the need for further targeted research.

**Keywords:** Fibroblast growth factor; Obesity; Body mass index; Waist circumference

Citation: Arab A, Samadanian F, Hosseini E, Vingrys K, Mokhtari Z, Amani R, Shirani F. Associations Between Serum Fibroblast Growth Factors and Obesity-Related Anthropometric Measures: A Systematic Review and Meta-Analysis. J Isfahan Med Sch 2025; 43(827): 995-6.

<sup>1-</sup> Division of Sleep Medicine, Harvard Medical School, Boston, Massachusetts, USA

<sup>2-</sup> Medical Chronobiology Program, Division of Sleep and Circadian Disorders, Departments of Medicine and Neurology, Brigham and Women's Hospital, PO Box 02115, Boston, Massachusetts, USA

<sup>3-</sup> Food Security Research Center, Isfahan University of Medical Sciences, Isfahan, Iran

<sup>4-</sup> Institute for Health and Sport, Victoria University, PO Box 14428, Melbourne, Victoria 8001, Australia

<sup>5-</sup> VU First Year College ®, Victoria University, PO Box 14428, Melbourne, Victoria 8001, Australia

<sup>6-</sup> PhD. in Nutrition, Endocrine and Metabolism Research Center Faculty of Nutrition, Food Security Research Center, Isfahan University of Medical Sciences, Isfahan, Iran

Corresponding Author: Fatemeh Shirani, PhD. in Nutrition, Endocrine and Metabolism Research Center Faculty of Nutrition, Food Security Research Center, Isfahan University of Medical Sciences, Isfahan, Iran; Email: shirani\_ir@yahoo.com